L	Hits	Search Text	DB	Time stamp
Number 1	2479	((legacy stand\$1alone) adj1 (application\$1 program\$1 system\$1)) and	USPAT; US-PGPUB;	2004/06/02 11:10
	1	(GUI\$1 (graphical adj2 interface) (user adj interface)) and client\$1 and server\$1	EPO; JPO; DERWENT;	
2	131	((legacy stand\$lalone) adjl	IBM_TDB USPAT;	2004/06/02
		<pre>(application\$1 program\$1 system\$1)) same (GUI\$1 (graphical adj2 interface) (user adj interface)) same client\$1 same</pre>	US-PGPUB; EPO; JPO; DERWENT;	11:11
_	2	server\$1 20020165993.pn.	IBM_TDB USPAT;	2004/05/28
		-	US-PGPUB; EPO; JPO;	14:32
	198	((partition\$3 split\$5 de\$1compos\$3) near5	DERWENT; IBM_TDB USPAT;	2004/06/01
	190	((partition() split() devicompos() hears (component() application() program()) and ((stand() alone legacy) with	US-PGPUB; EPO; JPO;	10:19
		(distribut\$3 client\$1server\$1))	DERWENT; IBM_TDB	
-	79	719/\$.ccls. and (((stand\$1alone legacy) with (distribut\$3 client\$1server\$1)) with (application\$1 program\$1 system\$1))	USPAT; US-PGPUB; EPO; JPO;	2004/05/27 17:23
		(application; program; system;)	DERWENT; IBM TDB	
_	100	717/\$.ccls. and (((stand\$1alone legacy) with (distribut\$3 client\$1server\$1)) with	USPĀT; US-PGPUB;	2004/05/27 17:40
		(application\$1 program\$1 system\$1))	EPO; JPO; DERWENT; IBM TDB	
-	534	((component\$1 bean\$1) adj2 (application\$1 program\$1 system\$1)) and (((stand\$1alone	USPAT; US-PGPUB;	2004/05/27 17:49
		legacy) with (distribut\$3 client\$1server\$1)) with (application\$1	EPO; JPO; DERWENT;	
-	141	<pre>program\$1 system\$1)) (((component\$1 bean\$1) adj2 (application\$1 program\$1 system\$1)) and</pre>	IBM_TDB USPAT; US-PGPUB;	2004/05/27 17:49
		(((stand\$1alone legacy) with (distribut\$3 client\$1server\$1)) with (application\$1	EPO; JPO; DERWENT;	
	131	<pre>program\$1 system\$1))) and ((analyz\$3 determin\$3) near5 (component\$1 bean\$1)) (((component\$1 bean\$1) adj2</pre>	IBM_TDB USPAT;	2004/05/27
	131	<pre>(application\$1 program\$1 system\$1)) and (((stand\$1alone legacy) with (distribut\$3</pre>	US-PGPUB; EPO; JPO;	17:50
		client\$1server\$1)) with (application\$1 program\$1 system\$1))) and ((analyz\$3	DERWENT; IBM_TDB	,
_	76	<pre>determin\$3) near3 (component\$1 bean\$1)) ((((component\$1 bean\$1) adj2 (application\$1 program\$1 system\$1)) and</pre>	USPAT; US-PGPUB;	2004/05/27 17:50
		(((stand\$1alone legacy) with (distribut\$3 client\$1server\$1)) with (application\$1	EPO; JPO; DERWENT;	17.00
		<pre>program\$1 system\$1))) and ((analyz\$3 determin\$3) near3 (component\$1 bean\$1))) and ((wrap\$5 adap\$4 encapsulat\$3) near5</pre>	IBM_TDB	
_	2	(component\$1 bean\$1))	USPAT;	2004/05/28
			US-PGPUB; EPO; JPO;	12:03
_	2	6510468.pn.	DERWENT; IBM_TDB USPAT;	2004/05/28
			US-PGPUB; EPO; JPO;	14:33
_	2	6532463.pn.	DERWENT; IBM_TDB USPAT;	2004/05/28
		332303.pm.	US-PGPUB; EPO; JPO;	14:34
			DERWENT; IBM TDB	

		^		
-	2	5822585.pn.	USPAT;	2004/05/28
			US-PGPUB;	14:35
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	2	5430876.pn.	USPĀT;	2004/05/28
		•	US-PGPUB;	15:33
			EPO; JPO;	
	ļ		DERWENT;	
			IBM TDB	
	2	6161107.pn.	USPAT;	2004/05/28
_	-	0101107.pm.	US-PGPUB;	15:34
			EPO; JPO;	10.51
			DERWENT;	
			· ·	
	ا ما	C20C0E1	IBM_TDB	2004/05/20
-	2	6286051.pn.	USPAT;	2004/05/28
			US-PGPUB;	15:34
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	6385769.pn.	USPAT;	2004/05/28
			US-PGPUB;	15:35
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	6574	((partition\$3 split\$5) near5 (component\$1	USPAT;	2004/05/28
}	""	bean\$1 object\$1)) and ((generat\$3 build\$3	US-PGPUB;	15:37
		creat\$3) near4 (component\$1 bean\$1	EPO; JPO;	
	1	object\$1))	DERWENT;	
]	02,00041,1	IBM TDB	
1_	3616	((partition\$3 split\$5) near5 (component\$1	USPAT;	2004/05/28
1	3010			15:37
1		bean\$1)) and ((generat\$3 build\$3 creat\$3)	US-PGPUB;	13.3/
1		near4 (component\$1 bean\$1))	EPO; JPO;	
1			DERWENT;	
1			IBM_TDB	0004/05/55
-	153		USPAT;	2004/05/28
		(component\$1 bean\$1)) and ((generat\$3	US-PGPUB;	15:39
		build\$3 creat\$3) near4 (component\$1	EPO; JPO;	
1		bean\$1))) and ((legacy stand\$1alone) adj2	DERWENT;	
		(application\$1 program\$1 system\$1))	IBM_TDB	
-	101		USPĀT;	2004/05/28
		(component\$1 bean\$1)) and ((generat\$3	US-PGPUB;	15:39
		build\$3 creat\$3) near4 (component\$1	EPO; JPO;	
		bean\$1))) and ((legacy stand\$1alone) adj2	DERWENT;	
		(application\$1 program\$1 system\$1))) and	IBM_TDB	
		(GUI\$1 (graphical adj user adj2		
İ		interface)		
l _	108	((((partition\$3 split\$5) near5	USPAT;	2004/05/28
		(component\$1 bean\$1)) and ((generat\$3	US-PGPUB;	15:39
1		build\$3 creat\$3) near4 (component\$1	EPO; JPO;	
		bean\$1))) and ((legacy stand\$1alone) adj2	DERWENT;	
		dapplication program system (application and (application and application and application and application and application appl	IBM TDB	
1			1 TOL' TOB	
1		(GUI\$1 (graphical adj user adj2		
		interface) browser\$1)	Habar	2004/06/01
1 -	102	((partition\$3 split\$5 de\$1compos\$3) near5	USPAT;	2004/06/01
		(component\$1 bean\$1)) and ((stand\$1alone	US-PGPUB;	10:26
		legacy) with (distribut\$3	EPO; JPO;	
	1	client\$1server\$1))	DERWENT;	
	1		IBM_TDB	[
-	87	((partition\$3 split\$5 de\$1compos\$3) near3	USPAT;	2004/06/01
		(component\$1 bean\$1)) and ((stand\$1alone	US-PGPUB;	10:27
		legacy) with (distribut\$3	EPO; JPO;	
		client\$1server\$1))	DERWENT;	
			IBM TDB	
_	233	((partition\$3 split\$5 de\$1compos\$3	USPAT;	2004/06/01
		<pre>generat\$3) near3 (component\$1 bean\$1))</pre>	US-PGPUB;	10:56
		and ((stand\$1alone legacy) with	EPO; JPO;	
		(distribut\$3 client\$1server\$1))	DERWENT;	
		,	IBM TDB	
	.1	1	, <u></u>	

r	166	/generate nearl /protogole1	USPAT;	2004/06/01
-	166	(generat\$ near4 (protocol\$1	USPAT; US-PGPUB;	10:57
		communication)) and ((stand\$1alone		10:57
		legacy) with (distribut\$3	EPO; JPO;	
		<pre>client\$1server\$1))</pre>	DERWENT;	
			IBM_TDB	/
-	57	(generat\$ near4 protocol\$1) and	USPAT;	2004/06/01
		((stand\$1alone legacy) with (distribut\$3	US-PGPUB;	10:57
		client\$1server\$1))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	132	((partition\$3 split\$4) near5	USPĀT;	2004/06/01
		(application\$1 program\$1)) and	US-PGPUB;	17:30
		((stand\$1alone legacy) with	EPO; JPO;	
		(client\$1server distribut\$3))	DERWENT;	
		` ' ' '	IBM TDB	
_	36	(((partition\$3 split\$4) near5	USPAT;	2004/06/01
		(application\$1 program\$1)) and	US-PGPUB;	17:33
		((stand\$1alone legacy) with	EPO; JPO;	
		(client\$1server distribut\$3))) and	DERWENT;	
		((wrap\$4 encapsulat\$3) with (component\$1	IBM TDB	
		bean\$1) with (client\$1 server\$1))		
_	44		USPAT;	2004/06/01
	• •	(application\$1 program\$1)) and	US-PGPUB;	17:34
		((stand\$1alone legacy) with	EPO; JPO;	3 •
		(client\$1server distribut\$3))) and	DERWENT;	
		((wrap\$4 encapsulat\$3) with (component\$1	IBM TDB	
		bean\$1))	1	
_	419	1	USPAT;	2004/06/02
_] "15	(component\$1 bean\$1 code\$1 module\$1)	US-PGPUB;	10:07
		(Comboutenest pequal codest modules)	EPO; JPO;	10.07
			DERWENT;	
			IBM TDB	ļ
ļ	50	((wrap\$4 encapsulat\$3) with client\$1 with	USPAT;	2004/06/02
_	50	((wrap\$4 encapsulat\$3) with client\$1 with (component\$1 bean\$1 code\$1 module\$1)) and	US-PGPUB;	10:07
		(Component) beans (code) module()) and	EPO; JPO;	10.07
		((stand\$1alone legacy) with (distribut\$3		
		client\$1server\$1))	DERWENT;	
			IBM_TDB	